



Sacramento City Unified School District

**Business Services
Contracts Office**

5735 47th Avenue • Sacramento, CA 95824
(916) 643-2464

Gerardo Castillo, Chief Business Officer

Kimberly Teague, Contract Specialist

Date: April 20, 2017


Issued by: Sacramento City Unified School District

Project: Roof Replacement at Susan B. Anthony ES

You are hereby notified of the following changes, clarifications, or modifications to the original Contract Documents, Specifications, and Drawings. This Addendum shall supersede the original project documents, and shall take precedence over anything to the contrary therein. All Addenda shall be acknowledged in the Bid Form. Failure to do so may result in disqualification of the bid.

PARAPET DETAIL

SCALE: 3"=1'-0" 24.



5 1/2"

A

24 GAUGE GALVANIZED
GUTTER STRAP 36 IN. O.C.

NEW 24 GAUGE BONDERIZED AND
PAINTED SHEET METAL GUTTER

NOTES

- 1. SEE DETAIL 14/A-9.01 FOR ADDITIONAL INFORMATION.

GUTTER DETAIL


SCALE: 6"=1'-0" 25.





ROOFING SYSTEM

High Performance Roof Underlayment

Moisture protection for your home.






Block water damage.



Repels and protects

- Offers long-term moisture protection for your roof compared to standard felt underlayment

Acts as a secondary water-shedding barrier.



Abt Coatings Coatings® Deck Defense® Underlayment



Guards and withstands

- Helps shield your home during roof installation
- Protects the roof deck for up to 6 months** of UV exposure
- 30-Year Limited Warranty*



Performance Roof Underlayment can provide

New Deck Defense underlayment's durable synthetic construction provides an immediate

Endures and performs

- Durable synthetic construction resists tearing when walked on
- Stays intact in high winds**
- Designed to reduce the chance for tears that can cause leaks compared to felt underlayment*



Deck Defense® vs. Organic Felt underlayment — the right choice is clear

- Extra-wide roll provides up to 5 times more coverage per roll than standard #90 felt underlayment
- Preprinted nailing pattern and overlap lines speed installation

	100% Engineered Polyolefin	Asphalt/Organic Felt
Construction	1,000 sq. ft., 48" wide	200 sq. ft., 36" wide
	3.3 lbs./'	20 lbs
Roll Size	Can be left exposed for up to 6 months**	Needs to be covered immediately
Weight Per Square	30-Year Limited Warranty*	No warranty
UV Exposure	Does not curl or wrinkle when exposed to	May curl, wrinkle and crack when exposed to
Warranty		

Weather Performance

Slip Resistance

Nailing Pattern

High-traction, slip-resistant surface

Specially engineered textured and coated top layer provides traction for a secure work area compared to other leading synthetic underlayments

Durability

Surface

	moisture	moisture
Durability	Unique woven technology and coated surface aides in	May become slick or wrinkled in wet conditions, leading

The most important part of the roof? All of them.

It takes more than just shingles to protect your home.
It takes an integrated system of components and

Product Attributes

Warranty Length

30-Year Limited*

Application

Engineered for asphalt, tile and metal roof assemblies

outside while controlling temperature and humidity
inside. The Owens Corning® Total Protection Roofing System™ ^ gives
you the assurance that all of your Owens Corning® roofing components

Typical Values

Length

250 ft.

OWENS